

www.surelevel.com.au

Last Updated: 09/05/2024

Safety Data Sheet Product Name: Light Weight Mortar (LW Mortar)



	Section 1: Identification of Product & Supplier:		
1.1	Product Name:	Light Weight Mortar	
1.2	Application	Mixed with water in accordance with the product directions, gives a free flowing, pourable or workable grout for machinery bedding, packing, general construction and repair work to masonry or precast concrete	
1.3	Supplier Information	Sure Level Australia Pty Ltd 12 Northgate Drive, Thomastown Vic 3074. Phone: + 61 3 9464 5753 Fax: + 61 3 9464 3630 Email: info@surelevel.com.au Web: www.surelevel.com.au	
1.4	Emergency Contact	13 11 26 (Poisons Information Centre)	
1.5	Appearance	Fine Grey Sand Cement Blend Powder	
		Section 2: Hazards Identification:	
2.1	2.1 Classification of the substance or mixture CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA		
	Physical Hazards	Not classified as a Physical Hazard	
2.2	GHS Hazard Classification	Skin Irritation HC-2 (H315), Eye Irritation HC-2A (H319), STOT SE HC-3 (H335), STOT RE HC-2 (H373)	
	Health Hazards	Serious Eye Damage / Eye Irritation: Category 1 Carcinogenicity: Category 1 Specific Target Organ Toxicity (Repeated Exposure): Category 1 Skin Corrosion/Irritation: Category 2 Specific Target Organ Toxicity (Single Exposure): Category 3 (Respiratory Irritation) Specific target organ toxicity (single exposure): Category 3 (Respiratory tract irritation)	

Info@surelevel.com.au



	Hazard Statements	Causes serious May cause resp	Causes skin irritation - H315 Causes serious eye irritation - H319 May cause respiratory irritation - H335 May cause damage to organs through prolonged or repeated exposure - H373			
	Precaution Warning Signs					
		understood P260 Do not brea P264 Wash skin tl when using this p P271 Use only out	the until all safet the dust/fume/g horoughly after broduct. doors or in a we ctive gloves/pro	y precautions h gas/mist/vapo nandling. P270 Il-ventilated ar	Do not eat, drink or smoke	
2.3	Response	for breathing P305 + P351 + P33 minutes. Remove P308 + P313: IF exp P310: Immediately	P304 + P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308 + P313: IF exposed or concerned: Get medical advice/ attention. P310: Immediately call a POISON CENTRE or doctor/physician. P362 + P364: Take off contaminated clothing and wash it before reuse.			
2.4	Storage	I	P403+P233 Store in a well-ventilated place. Keep container tightly closed P405 Store locked up			
2.5	Disposal	P501 Dispose of c	P501 Dispose of contents/container to an approved waste disposal plant.			
		Section 3: Materi	al Composi	tion and Inc	gredients	
3.1	Ingredients					
		Name	CAS	Content		
		Portland Cement	65997-15-1	Medium		
		Silica Sand (Quartz)	14808-60-7	Medium		
		Flow Aid, Plasticiser	-	Very Low		
		Contents: High >60%, Medium 30-60%, Low 1-10%, Very Low <1%				
		Section	n 4: First Aid	Measures		
4.1	Eyes	wash with fresh r	If product comes into contact with eyes, immediately hold eyes open and wash with fresh running water. Ensure irrigation under the eyelids by occasionally lifting upper and lower lids. If pain persists seek medical attention.			
4.2	Skin	If product comes into contact with skin, wash affected areas thoroughly with water and soap, if available. In event of irritation, seek medical attention.				







4.3	Inhaled	If dust is inhaled, remove to fresh air. If breathing is shallow, ensure clear airway and apply artificial respiration. Seek medical attention.			
4.4	Swallowed	Rinse out with plenty of water. If poisoning occurs, contact doctor or Poisons Information Centre. If swallowed do not induce vomiting. Give a glass of water. Material highly irritating and mildly corrosive if swallowed			
4.5	Advice to Physician	Treat Symptomatically			
4.6	First Aid Facilities	N/A			
4.7	Toxicity	N/A			
	Section 5: Firefighting Measures				
5.1	Suitable Extinguishing Media	(Non-Flammable Material) Use appropriate fire extinguisher for surrounding environment.			
5.2	Specific hazards	Non flammable. May evolve toxic gases if strongly heated.			
5.3	Advice for firefighters	No fire or explosion hazard exists.			
		Section 6: Accidental Release Measures			
6.1	PPE	Wear appropriate clothing, gloves, eye protection and facemask to avoid inhalation and contact with skin or eyes			
6.2	Environmental precautions	Do not allow this product to be released into storm water drains, creeks or open bodies of water. Only dispose according to lawful regulations.			
6.3	Methods For Cleaning up spills	Dry: Vacuum or using brush or soft broom Wet: Use a Cloth to wipe away excess. Make sure product doesn't pass through a drains, Sewers or water passages.			
		Section 7: Handling and Storage			
7.1	Precautions for Safe Handling	Avoid generating airborne dust during handling and storage. Avoid prolonged contact with skin. Avoid heavy or prolonged dust inhalation (See TWA Section 8). Engineering dust controls should be used ahead of, or in combination with the wearing of appropriate respiratory protection.			
7.2	Conditions for safe storage, including any incompatibilities	Store in original packaging, under dry conditions. Keep fine products stored in closed containers. Avoid the generation of airborne dust.			
	Se	ection 8: Exposure Control / Personal Protection			
8.1	Control Parameters	Each of the ingredients are listed below with the exposure limits for each Exposure Limits: 10mg/m3 inspirable dust			





8.2	Biological Limits	No biological limit values have been entered for this product.	
8.3	Personal Protective Equipment		
	Eyes/ Face	Wear safety glasses or dust-proof goggles when handling material to avoid contact with eyes.	
	Hands (III)	Wear PVC, rubber or cotton gloves when handling material to prevent skin contact.	
	Body	Wear long sleeved shirt and full-length trousers	
	Respiratory	Where an inhalation risk exists wear a Class P1 (Particulate) respirator, dependent on a site specific risk assessment.	
8.4	Environmental Exposure Controls	All ventilation systems should be filtered before discharge to atmosphere.	
		Section 9: Physical and chemical Properties	
9.1	Form	Powder	
9.2	Specific Gravity	1.5 Loose	
9.3	Flammability Limited	N/A	
9.4	Form	N/A	
9.5	Boiling Point	N/A	
9.6	Melting Point	N/A	
9.7	Flashpoint	Not Flammable	
9.8	Solubility	Partly Miscible	
9.9	Auto-Ignition Temperature	Not applicable	
		Section 10: Stability and Reactivity	
10.1	Chemical Stability	This product contains cement which will undergo a hydration reaction when mixed with water	
10.2	Possibility of hazardous reactions	N/A	
10.3	Incompatible Materials	N/A	
10.4	Conditions to Avoid	Extreme temperature, Product is stable under normal temperatures and conditions	
10.5	Reactivity and Stability	Reacts with incompatible materials.	
	Section 11: Toxicological Information		
11.1	Information & Symptoms associated with exposure		







	Acute Toxicity:	N/A		
	Skin corrosion/irritation	Repeated or prolonged exposure to skin		
		can cause dermatitis		
	Serious eye damage/irritation:	Exposure can cause serious conjunctivitis, blepharitis and general irritation to the eyes		
	Ingestion	Ingestion of this product may irritate the gastric tract causing nausea and vomiting.		
	Repeated Exposure:	Causes damage to organs lungs through prolonged or repeated exposure by inhalation.		
	Inhalation:	Inhalation of the dust from the product can cause irritation of the respiratory system.		
	Aspiration Hazard	N/A		
		Section 12: Ecological Information:		
12.1	Eco toxicity	This product is not expected to be hazardous to the environment		
12.2	Degradability	When products hydrates, it will solidify with time making it non degradable.		
12.3	Bio-accumulative potential	No literature available		
12.4	Mobility in Soil	No literature available		
12.5	Other adverse effects	No literature available		
	Section 13: Disposal Consideration:			
13.1	Disposal	Disposal shall be in accordance with local rules and regulations, in a method to minimize the generation of dust from it and its contact with water. PPE are required for disposal.		
		Section 14: Disposal Consideration:		
14.1	Transport Information	Not classified as dangerous goods and is Safe to transport by sea, land or Air when packed in closed containers. According to: Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code) (7th edition) International Maritime Dangerous Goods Code (IMDG Code) International Air Transport Association (IATA) Dangerous Goods Regulations		
	Section 15: Regulatory Information:			
15.1	GHS Classification	Hazardous		
15.2	SUSMP	Not Classified as a poisonous material		
		Section 16: Supplementary information		
16.1	Preparation Date	09/05/2024		
				





16.2	Review & Updates	This SDS will be reviewed periodically every 2 Years and updated accordingly with any regulations.
End Of Safety Data Sheet		

