


Last Updated: 09/05/2024

Safety Data Sheet

Product Name: Normal Set 40 Green
Otherwise known as Self level NS 40G)



Section 1: Identification of Product & Supplier:																										
1.1	Product Name:	Normal Set 40 Green (Otherwise known as Self level NS 40G)																								
1.1	Product Identification:	This product is classified as hazardous according to criteria of Worksafe Australia.																								
1.1	Other Names:	<table border="1"> <tr> <td>UN #:</td> <td>None</td> <td>NIOSH:</td> <td>-</td> </tr> <tr> <td>Hazchem:</td> <td>None</td> <td>IMDG:</td> <td>-</td> </tr> <tr> <td>GTEPG:</td> <td>None</td> <td>CASS No:</td> <td>None</td> </tr> <tr> <td>DG Class:</td> <td>None</td> <td>Poisons Sched:</td> <td>None</td> </tr> <tr> <td>Sub Risk:</td> <td>None</td> <td>Pack Grp:</td> <td>None</td> </tr> <tr> <td>Spec EPG:</td> <td>None</td> <td></td> <td></td> </tr> </table>	UN #:	None	NIOSH:	-	Hazchem:	None	IMDG:	-	GTEPG:	None	CASS No:	None	DG Class:	None	Poisons Sched:	None	Sub Risk:	None	Pack Grp:	None	Spec EPG:	None		
UN #:	None	NIOSH:	-																							
Hazchem:	None	IMDG:	-																							
GTEPG:	None	CASS No:	None																							
DG Class:	None	Poisons Sched:	None																							
Sub Risk:	None	Pack Grp:	None																							
Spec EPG:	None																									
1.1	Primary Use:	Self levelling, free flowing underlay for concrete floors prior to application of tiles, carpet, vinyl or levelling existing floors.																								
1.2	Application	<p>Self-levelling free flowing underlay for concrete floors prior to the application of:</p> <ul style="list-style-type: none"> • Tiles • Vinyl • Carpets • Levelling of existing floors 																								
1.3	Supplier Information	<p>Sure Level Australia Pty Ltd 12 Northgate Drive, Thomastown Vic 3074. Phone: + 61 3 9464 5753 Fax: + 61 3 9464 3630 Email: info@surelevel.com.au Web: www.surelevel.com.au</p>																								
1.4	Emergency Contact	13 11 26 (Poisons Information Centre)																								
1.5	Appearance	Fine Grey Sand Cement Blend Powder																								

Section 2: Hazards Identification:		
2.1	Classification of the substance or mixture	CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA
	Physical Hazards	Not classified as a Physical Hazard
2.2	GHS Hazard Classification	Skin Irritation HC-2 (H315), Eye Irritation HC-2A (H319), STOT SE HC-3 (H335), STOT RE HC-2 (H373)
	Health Hazards	Serious Eye Damage / Eye Irritation: Category 1 Carcinogenicity: Category 1 Specific Target Organ Toxicity (Repeated Exposure): Category 1 Skin Corrosion/Irritation: Category 2 Specific Target Organ Toxicity (Single Exposure): Category 3 (Respiratory Irritation) Specific target organ toxicity (single exposure): Category 3 (Respiratory tract irritation)
Section 3: Health Hazard Information:		
		This material is hazardous according to health criteria of Worksafe Australia.
3.1	Hazard Category:	Xn: Harmful Xi: Irritant
3.2	Risk Phrase(s):	R36/37/38: Irritating to eyes, respiratory system and skin. R41: Risk of serious damage to eyes. R48/20: Harmful: danger of serious damage to health by prolonged exposure through inhalation.
3.3	Safety Phrase(s):	S22: Do not breathe dust. S24/25: Avoid contact with skin and eyes. S36/37/39: Wear suitable protective clothing, gloves and eye/face protection. S38: In case of insufficient ventilation, wear suitable respiratory equipment. Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail.
3.4	CHRONIC	Long term exposure to high dust concentrations may cause irritation to lungs and result in breathing disorders, as cement and silica sand is now classified as carcinogenic. Contact with skin, inhalation of dust, vapour ingestion in any form should be avoided. Sensitisation may result in allergic dermatitis responses including rash, itching, swelling of extremities, redness and irritation.
3.5	Hazard Statements	Causes skin irritation - H315 Causes serious eye irritation - H319 May cause respiratory irritation - H335 May cause damage to organs through prolonged or repeated exposure - H373
3.6	Precaution Warning Signs	

		<p>P201 Obtain special instructions before use</p> <p>P202 Do not handle until all safety precautions have been read and understood</p> <p>P260 Do not breathe dust/fume/gas/mist/vapours/spray.</p> <p>P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product.</p> <p>P271 Use only outdoors or in a well-ventilated area.</p> <p>P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.</p>
3.7	Response	<p>P304 + P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing</p> <p>P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P308 + P313: IF exposed or concerned: Get medical advice/ attention.</p> <p>P310: Immediately call a POISON CENTRE or doctor/physician.</p> <p>P362 + P364: Take off contaminated clothing and wash it before reuse.</p>
3.8	Storage	<p>P403+P233 Store in a well-ventilated place. Keep container tightly closed</p> <p>P405 Store locked up</p>
3.9	Disposal	<p>P501 Dispose of contents/container to an approved waste disposal plant.</p>




Section 4: Material Composition and Ingredients

4.1	Ingredients	<table border="1"> <thead> <tr> <th>Chemical Name</th> <th>CASS Number</th> <th>Proportion</th> </tr> </thead> <tbody> <tr> <td>Sand Silica Quartz</td> <td>14808-60-7</td> <td>Medium</td> </tr> <tr> <td>Portland Cement</td> <td>65997-15-1</td> <td>Medium</td> </tr> <tr> <td>Flow aid, Plasticiser</td> <td>-</td> <td>Very Low</td> </tr> <tr> <td>Calcium Sulphate</td> <td>7778-18-9</td> <td>Low</td> </tr> <tr> <td>CSA Elment</td> <td>65997-15-1</td> <td>Medium</td> </tr> <tr> <td>Solubility in water:</td> <td>Partly Miscible</td> <td>-</td> </tr> <tr> <td>Other Properties:</td> <td>-</td> <td>-</td> </tr> </tbody> </table> <p>Contents: High >60%, Medium 30-60%, Low 1-10%, Very Low <1%</p>	Chemical Name	CASS Number	Proportion	Sand Silica Quartz	14808-60-7	Medium	Portland Cement	65997-15-1	Medium	Flow aid, Plasticiser	-	Very Low	Calcium Sulphate	7778-18-9	Low	CSA Elment	65997-15-1	Medium	Solubility in water:	Partly Miscible	-	Other Properties:	-	-
Chemical Name	CASS Number	Proportion																								
Sand Silica Quartz	14808-60-7	Medium																								
Portland Cement	65997-15-1	Medium																								
Flow aid, Plasticiser	-	Very Low																								
Calcium Sulphate	7778-18-9	Low																								
CSA Elment	65997-15-1	Medium																								
Solubility in water:	Partly Miscible	-																								
Other Properties:	-	-																								

Section 5: First Aid Measures

5.1	Eyes	<p>If product comes into contact with eyes, immediately hold eyes open and wash with fresh running water. Ensure irrigation under the eyelids by occasionally lifting upper and lower lids. If pain persists seek medical attention.</p>
5.2	Skin	<p>If product comes into contact with skin, wash affected areas thoroughly with water and soap, if available. In event of irritation, seek medical attention.</p>
5.3	Inhaled	<p>If dust is inhaled, remove to fresh air.</p> <p>If breathing is shallow, ensure clear airway and apply artificial respiration.</p> <p>Seek medical attention.</p>
5.4	Swallowed	<p>Rinse out with plenty of water. If poisoning occurs, contact doctor or Poisons Information Centre.</p> <p>If swallowed do not induce vomiting.</p> <p>Give a glass of water.</p> <p>Material highly irritating and mildly corrosive if swallowed</p>
5.5	Advice to Physician	<p>Treat Symptomatically</p>

5.6	First Aid Facilities	Eye wash unit.													
5.7	Toxicity	N/A													
Section 6: Firefighting Measures															
6.1	Suitable Extinguishing Media	(Non-Flammable Material) Use appropriate fire extinguisher for surrounding environment.													
6.2	Specific hazards	Non flammable. May evolve toxic gases if strongly heated.													
6.3	Advice for firefighters	No fire or explosion hazard exists.													
Section 7: Accidental Release Measures															
7.1	PPE	Wear appropriate clothing, gloves, eye protection and facemask to avoid inhalation and contact with skin or eyes													
7.2	Environmental precautions	Do not allow this product to be released into storm water drains, creeks or open bodies of water. Only dispose according to lawful regulations.													
7.3	Methods For Cleaning up spills	Dry: Vacuum or using brush or soft broom Wet: Use a Cloth to wipe away excess. Make sure product doesn't pass through a drains, Sewers or water passages.													
Section 8: Handling and Storage															
8.1	Precautions for Safe Handling	Avoid generating airborne dust during handling and storage. Avoid prolonged contact with skin. Avoid heavy or prolonged dust inhalation (See TWA Section 8). Engineering dust controls should be used ahead of, or in combination with the wearing of appropriate respiratory protection.													
8.2	Conditions for safe storage, including any incompatibilities	Store in original packaging, under dry conditions. Keep fine products stored in closed containers. Avoid the generation of airborne dust.													
Section 9: Exposure Control / Personal Protection															
9.1	Control Parameters	Each of the ingredients are listed below with the exposure limits for each <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>Material Name</th> <th>TWA (exposure Limit)</th> <th>Reference CAS number</th> </tr> </thead> <tbody> <tr> <td>Crystalline silica (quartz) Reference to SWA Australia</td> <td>0.05mg/m3</td> <td rowspan="2">14808-60-7</td> </tr> <tr> <td>Crystalline silica (quartz) Reference to Work safe Australia</td> <td>0.05mg/m3</td> </tr> <tr> <td>Portland Cement SWA Australia</td> <td>10 mg/m3</td> <td rowspan="2">65997-15-1</td> </tr> <tr> <td>Portland Cement Proposed</td> <td>1 mg/m3</td> </tr> </tbody> </table>	Material Name	TWA (exposure Limit)	Reference CAS number	Crystalline silica (quartz) Reference to SWA Australia	0.05mg/m3	14808-60-7	Crystalline silica (quartz) Reference to Work safe Australia	0.05mg/m3	Portland Cement SWA Australia	10 mg/m3	65997-15-1	Portland Cement Proposed	1 mg/m3
Material Name	TWA (exposure Limit)	Reference CAS number													
Crystalline silica (quartz) Reference to SWA Australia	0.05mg/m3	14808-60-7													
Crystalline silica (quartz) Reference to Work safe Australia	0.05mg/m3														
Portland Cement SWA Australia	10 mg/m3	65997-15-1													
Portland Cement Proposed	1 mg/m3														
9.2	Biological Limits	No biological limit values have been entered for this product.													
9.3	Personal Protective Equipment														

	Eyes/ Face 	Safety glasses with side shields, chemical goggles. Contact lenses pose a hazard.																																		
	Hands 	Barrier cream and PVC gloves should be worn. Rubber boots.																																		
	Other	Overalls should be worn. Eyewash unit should be present to flush eyes in the event of contamination.																																		
	Respiratory 	Dust respirator, correctly worn, must be used in area with good general ventilation.																																		
9.4	Environmental Exposure Controls	All ventilation systems should be filtered before discharge to atmosphere.																																		
9.4	Exposure Limits	None assigned. <table border="1" data-bbox="778 1008 1626 1249"> <thead> <tr> <th rowspan="2">Ingredient:</th> <th rowspan="2">Reference</th> <th colspan="2">TWA</th> <th colspan="2">STL</th> </tr> <tr> <th>PPM</th> <th>MG/M3</th> <th>PPM</th> <th>MG/M3</th> </tr> </thead> <tbody> <tr> <td>Portland Cement</td> <td>SWA (Aust)</td> <td>-</td> <td>10</td> <td>-</td> <td>-</td> </tr> <tr> <td>Portland Cement</td> <td>SWA Proposed</td> <td>-</td> <td>1</td> <td>-</td> <td>-</td> </tr> <tr> <td>Quartz (Respirable Dust)</td> <td>SWA (Aust)</td> <td>-</td> <td>.05</td> <td>-</td> <td>-</td> </tr> <tr> <td>Quartz (Respirable Dust)</td> <td>WorkSafe Vic</td> <td>-</td> <td>.05</td> <td>-</td> <td>-</td> </tr> </tbody> </table>	Ingredient:	Reference	TWA		STL		PPM	MG/M3	PPM	MG/M3	Portland Cement	SWA (Aust)	-	10	-	-	Portland Cement	SWA Proposed	-	1	-	-	Quartz (Respirable Dust)	SWA (Aust)	-	.05	-	-	Quartz (Respirable Dust)	WorkSafe Vic	-	.05	-	-
Ingredient:	Reference	TWA			STL																															
		PPM	MG/M3	PPM	MG/M3																															
Portland Cement	SWA (Aust)	-	10	-	-																															
Portland Cement	SWA Proposed	-	1	-	-																															
Quartz (Respirable Dust)	SWA (Aust)	-	.05	-	-																															
Quartz (Respirable Dust)	WorkSafe Vic	-	.05	-	-																															
Section 10: Physical and chemical Properties																																				
10.1	Form	Fine grey cement/sand based powder. No odour.																																		
10.2	Specific Gravity	1.3 Loose																																		
10.3	Flammability Limited	N/A																																		
10.4	Form	N/A																																		
10.5	Boiling Point/Melting Point	N/A																																		
10.6	Vapour Pressure	N/A																																		
10.7	Flashpoint	Not Flammable																																		
10.8	Solubility	Partly Miscible																																		
10.9	Auto-Ignition Temperature	Not applicable																																		
Section 11: Stability and Reactivity																																				
11.1	Chemical Stability	This product contains cement which will undergo a hydration reaction when mixed with water																																		
11.2	Possibility of hazardous reactions	N/A																																		
11.3	Incompatible Materials	N/A																																		
11.4	Conditions to Avoid	Extreme temperature, Product is stable under normal temperatures and conditions																																		
11.5	Reactivity and Stability	Reacts with incompatible materials.																																		

Section 12: Toxicological Information

12.1	Information & Symptoms associated with exposure	
	Acute Toxicity:	N/A
	Skin corrosion/irritation	Dust is irritating and may cause drying of the skin. Mixed material is moderately irritating to the skin. Constant contact with the skin may cause drying of the skin which may lead to dermatitis and may cause in some cases sensitisation.
	Serious eye damage/irritation:	The dust is highly irritating and abrasive to the eye. Dust is capable of causing pain and conjunctivitis.
	Ingestion	Ingestion of this product may irritate the gastric tract causing nausea and vomiting.
	Repeated Exposure:	Causes damage to organs lungs through prolonged or repeated exposure by inhalation.
	Inhalation:	Dust is irritating to upper respiratory tract and lungs. Over exposure to respirable dust may cause coughing, wheezing and irritation to the nasal passages. Medium to small rooms should be well ventilated and by means of mechanical fan.
	Swallowed:	Material is irritating and mildly corrosive if swallowed. Ingestion may result in nausea, abdominal irritation, pain and vomiting.
	Aspiration Hazard	N/A

Section 13: Ecological Information:

13.1	Eco toxicity	This product is not expected to be hazardous to the environment
13.2	Degradability	When products hydrates, it will solidify with time making it non degradable.
13.3	Bio-accumulative potential	No literature available
13.4	Mobility in Soil	No literature available
13.5	Other adverse effects	No literature available

Section 14: Disposal Consideration:

14.1	Disposal	Disposal shall be in accordance with local rules and regulations, in a method to minimize the generation of dust from it and its contact with water. PPE are required for disposal.
------	----------	---

Section 15: Disposal Consideration:

15.1	Transport Information	Not classified as dangerous goods and is Safe to transport by sea, land or Air when packed in closed containers. According to: Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code) (7th edition) International Maritime Dangerous Goods Code (IMDG Code) International Air Transport Association (IATA) Dangerous Goods Regulations
------	-----------------------	--

Section 16: Regulatory Information:														
16.1	GHS Classification	Hazardous												
16.2	SUSMP	Not Classified as a poisonous material												
Section 17: Supplementary information														
17.1	Preparation Date	09/05/2024												
17.2	Review & Updates	This SDS will be reviewed periodically every 2 Years and updated accordingly with any regulations.												
Section 18: Safe Handling Information														
18.1	Storage & Transport	Multi-ply paper bag with sealed plastic liner or heavy gauge plastic bag or bucket. Check that all containers are clearly labeled and free from leaks.												
18.2	Packaging & Labelling	Packaging and labelling as recommended by Sure Level Pty Ltd.												
18.3	Spills & Disposals	Sweep up spills and dispose of in an approved disposal site. Avoid generating dust.												
18.4	Reactivity Data	N/A												
Section 19: Fire/explosion Hazard														
19.1	GHS Classification	<table border="1"> <tbody> <tr> <td>Extinguishing Media:</td> <td>N/A</td> </tr> <tr> <td>Upper Explosion Limit:</td> <td>Not Determined</td> </tr> <tr> <td>Lower Explosion Limit:</td> <td>Not Determined</td> </tr> <tr> <td>Dust Explosion Limit:</td> <td>No</td> </tr> <tr> <td>May Decompose Explosively:</td> <td>No</td> </tr> <tr> <td>Hazardous Decomposition Products:</td> <td>None</td> </tr> </tbody> </table>	Extinguishing Media:	N/A	Upper Explosion Limit:	Not Determined	Lower Explosion Limit:	Not Determined	Dust Explosion Limit:	No	May Decompose Explosively:	No	Hazardous Decomposition Products:	None
Extinguishing Media:	N/A													
Upper Explosion Limit:	Not Determined													
Lower Explosion Limit:	Not Determined													
Dust Explosion Limit:	No													
May Decompose Explosively:	No													
Hazardous Decomposition Products:	None													
End Of Safety Data Sheet														

Document Date: February, 2024 (Rev 2.2)

Contact Details

Entity name: SURE LEVEL INTERNATIONAL PTY LTD

Location: 12 Northgate Dr, Thomastown VIC 3074

Phone: + 61 3 9464 5189

Email: info@surelevel.com.au

website: www.surelevel.com.au