



Safety Data Sheet

Product Name: Superflex C2SITE Heavy Duty Tile Adhesive

Section 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION:

1.1	Product Name:	Superflex C2SITE Heavy Duty Tile Adhesive
1.2	Supplier Information	Sure Level Australia Pty Ltd 12 Northgate Drive, Thomastown Vic 3074. Phone: + 61 3 9464 5753 Fax: + 61 3 9464 3630 Email: info@surelevel.com.au Web: www.surelevel.com.au
1.3	Emergency Contact	13 11 26 (Poisons Information Centre)

Section 2: COMPOSITION, INFORMATION ON INGREDIENTS

CAS#	Chemical Name	Percent
65997-15-1	Portland Cement	35% -45%
14808-60-7	Silica Sand	10%-25%
N/A	Polymer Powder	5%-15%
N/A	Other ingredients determined as non-hazardous	To 100%

Section 3: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

3.1	Eye:	Fall into eyes possibly causes tears
3.2	Skin:	May irritate dry skin
3.3	Ingestion:	Small amounts ingested incidental to normal handling will have little or no effect.
3.4	Inhalation:	Will cause coughing and a dry throat.
3.5	Chronic:	No



Section 4: FIRST AID MEASURES:		
4.1	Eyes:	Rinse immediately and repeatedly with water
4.2	Skin:	Wash exposed areas promptly with water
4.3	Ingestion:	Do not induce vomiting and get prompt medical attention.
4.4	Inhalation:	Wash with plenty of water
4.5	Notes to Physician:	Wash with plenty of water
Section 5: FIRE FIGHTING MEASURES		
5.1	Product is non-combustible. No explosive effect expected	
Section 6: ACCIDENTAL RELEASE MEASURES		
6.1	Spills/Leaks:	Prevent product entering drains or waterways. Wear dust mask or respirator. Without creating dust clouds sweep or shovel up and place in plastic drums or pails, fit lids, label and place in a safe area to await disposal or recovery. Thoroughly ventilate area before continuing normal work.
Section 7: HANDLING AND STORAGE		
7.1	Handling:	Wear suitable protective clothing. Avoid inhaling dusts.
7.2	Storage:	Store in a cool, dry and well-ventilated area. Avoid generating or accumulating dusts during handling.
Section 8: EXPOSURE CONTROLS, PERSONAL PROTECTION		
8.1	Engineering Controls:	In outdoor use natural ventilation is usually adequate. If extremely dusty conditions prevail or if working in poorly ventilated enclosed areas provide adequate ventilation/dust extraction and exhausts to ensure that the work area is kept below the TWA set.
8.2	Personal Protective Equipment:	Use good quality dust mask in normal use or respirator with particulate filters to AS 1715 & 1716 in very dusty circumstances.



Section 9: PHYSICAL AND CHEMICAL PROPERTIES:		
9.1	Physical State:	Powder
9.2	Color:	Grey and White
9.3	Vapor Pressure:	N/A
9.4	Boiling Point:	100°C
9.5	Explosion Limits, lower:	N/A
9.6	Explosion Limits, upper:	N/A
9.7	Decomposition Temperature:	N/A
9.8	pH:	5.0 - 6.0
9.9	Odor:	N/A
9.10	Viscosity:	N/A
9.11	Aut ignition Temperature	N/A
9.12	Flash Point:	N/A
9.13	Freezing/Melting Point:	N/A
Section 10: STABILITY AND REACTIVITY		
10.1	Chemical Stability:	During all normal circumstances of use or handling the product is completely stable.
10.2	Conditions to Avoid:	Avoid unintended contact with moisture.
Section 11: TOXICOLOGICAL INFORMATION		
11.1	RTECS#:	No relevant data.
Section 12: ECOLOGICAL INFORMATION		
12.1	Will block drains or small waterways as product cures in contact with water. Not biodegradable.	
Section 13: DISPOSAL CONSIDERATIONS:		
13.1	Disposal must be in accordance with local regulations for hazardous wastes. Product may be cured by the addition of water and disposed of as non-hazardous industrial waste.	
Section 14: TRANSPORT INFORMATION:		
14.1	Not classified as hazardous for transport purposes.	
Section 15: REGULATORY INFORMATION:		
15.1	These products are not subject to identification under the EC Directives and Regulations on Hazardous Materials. This Product Data Sheet does not constitute a workplace risk assessment.	
Section 16: OTHER INFORMATION:		
16.1	N/A	

Contact Details

Entity name: SURE LEVEL INTERNATIONAL PTY LTD
 Location: 12 Northgate Dr, Thomastown VIC 3074
 Phone: + 61 3 9464 5753
 Email: info@surelevel.com.au
 website: www.surelevel.com.au