

Last Updated: 10/05/2024

www.surelevel.com.au



Safety Data Sheet

Product Name: Fairing Mortar

		Section 1: Ide	ntification o	f Product & Sup	plier:		
1.1	Product Name:	Fairing Mortar					
1.1	Product Identification:	These products ar	These products are classified as hazardous according to criteria of Worksafe Australia.				
1.1	Other Names:	UN #:	None	NIOSH:	-		
		Hazchem:	None	IMDG:	-		
		GTEPG:	None	CASS No:	None		
		DG Class	None	Poisons Sched:	None		
		Sub Risk:	None	Pack Grp:	None		
		Spec EPG:	None				
1.1	Primary Use:	Repair mortar of vertical and horizontal concrete surfaces, repaving damaged concrete. Re-insulating damaged areas in concrete structures.					
1.2	Application	Mixed with water in accordance with the product directions, gives a cement based adhesive					
1.3	Supplier Information	Sure Level Australia Pty Ltd 12 Northgate Drive, Thomastown Vic 3074. Phone: + 61 3 9464 5753 Fax: + 61 3 9464 3630 Email: info@surelevel.com.au Web: www.surelevel.com.au					
1.4	Emergency Contact	13 11 26 (Poisons Information Centre)					
	Section 2: Hazards Identification:						
2.1	Classification of the substance or mixture	CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA					
	Physical Hazards	Not classified as a Physical Hazard					





2.2	GHS Hazard Classification	Skin Irritation HC-2 (H315), Eye Irritation HC-2A (H319), STOT SE HC-3 (H335), STOT RE HC-2 (H373)		
	Health Hazards	Serious Eye Damage / Eye Irritation: Category 1 Carcinogenicity: Category 1 Specific Target Organ Toxicity (Repeated Exposure): Category 1 Skin Corrosion/Irritation: Category 2 Specific Target Organ Toxicity (Single Exposure): Category 3 (Respiratory Irritation) Specific target organ toxicity (single exposure): Category 3 (Respiratory tract irritation)		
	Hazard Statements	Causes skin irritation - H315 Causes serious eye irritation - H319 May cause respiratory irritation - H335 May cause damage to organs through prolonged or repeated exposure - H373		
3.4	CHRONIC	Long term exposure to high dust concentrations may cause irritation to lungs and result in breathing disorders, as cement and silica sand is now classified as carcinogenic. Contact with skin, inhalation of dust, vapour ingestion in any form should be avoided. Sensitisation may result in allergic dermatitis responses including rash, itching, swelling of extremities, redness and irritation.		
	Hazard Statements	Causes skin irritation - H315 Causes serious eye irritation - H319 May cause respiratory irritation - H335 May cause damage to organs through prolonged or repeated exposure - H373		
	Precaution Warning Signs			
		P201 Obtain special instructions before use P202 Do not handle until all safety precautions have been read and understood P260 Do not breathe dust/fume/gas/mist/vapours/spray. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.		
2.3	Response	P304 + P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308 + P313: IF exposed or concerned: Get medical advice/ attention. P310: Immediately call a POISON CENTRE or doctor/physician. P362 + P364: Take off contaminated clothing and wash it before reuse.		
2.4	Storage	P403+P233 Store in a well-ventilated place. Keep container tightly closed P405 Store locked up		
2.5	Disposal	P501 Dispose of contents/container to an approved waste disposal plant.		





	Section 3: Material Composition and Ingredients							
3.1	Ingredients	Name	CAS	Content]			
		Portland Cement	65997-15-1	Medium	1			
		Silica Sand (Quartz)	14808-60-7	Medium	1			
		Flow Aid, Plasticiser	-	Very Low				
		Contents: High >	60%, Medium 30	-60%, Low 1-10%,	Very Low <1%			
		Sectio	n 4: First Aid	Measures				
4.1	Eyes	If product comes into contact with eyes, immediately hold eyes open and wash with fresh running water. Ensure irrigation under the eyelids by occasionally lifting upper and lower lids. If pain persists seek medical attention.						
4.2	Skin				ected areas thoroughly with seek medical attention.			
4.3	Inhaled	If breathing is s	If dust is inhaled, remove to fresh air. If breathing is shallow, ensure clear airway and apply artificial respiration. Seek medical attention.					
4.4	Swallowed	Rinse out with plenty of water. If poisoning occurs, contact doctor or Poisons Information Centre. If swallowed do not induce vomiting. Give a glass of water. Material highly irritating and mildly corrosive if swallowed						
4.5	Advice to Physician	Treat Symptomatically						
4.6	First Aid Facilities	N/A						
4.7	Toxicity	N/A	N/A					
		Section	5: Firefightin	g Measures				
5.1	Suitable Extinguishing Media	(Non-Flammable environment.	e Material) Use o	ppropriate fire e	extinguisher for surrounding			
5.2	Specific hazards	Non flammable. May evolve toxic gases if strongly heated.						
5.3	Advice for firefighters	No fire or explosion hazard exists.						
	Section 6: Accidental Release Measures							
6.1	PPE	Wear appropriat inhalation and co			n and facemask to avoid			
6.2	Environmental precautions	Do not allow this product to be released into storm water drains, creeks or open bodies of water. Only dispose according to lawful regulations.						





6.3	Methods For Cleaning up spills	Dry: Vacuum or using brush or soft broom Wet: Use a Cloth to wipe away excess. Make sure product doesn't pass through a drains, Sewers or water passages.							
	Section 7: Handling and Storage								
7.1	Precautions for Safe Handling	Avoid generating airborne dust during handling and storage. Avoid prolonged contact with skin. Avoid heavy or prolonged dust inhalation (See TWA Section 8). Engineering dust controls should be used ahead of, or in combination with the wearing of appropriate respiratory protection.							
7.2	Conditions for safe storage, including any incompatibilities	Store in original packaging, under dry conditions. Keep fine products stored in closed containers. Avoid the generation of airborne dust.							
	Se	ection 8: Exposu	re Control / Persona	l Protection					
8.1	8.1 Control Parameters Each of the ingredients are listed below with the exposure limits for each Exposure Limits: 10mg/m3 inspirable dust								
		Material Name	TWA (exposure Limit)	Content					
		Crystalline silica (quar	tz) 10mg/m3	14808-60-7					
		Portland cement	10 mg/m3	65997-15-1					
8.2	Biological Limits	No biological limit values have been entered for this product.							
8.3	Personal Protective Equipment								
	Eyes/ Face	Safety glasses with side shields, chemical goggles. Contact lenses pose a hazard.							
	Hands	Barrier cream and PVC gloves should be worn. Rubber boots.							
	Other	Overalls should be worn. Eyewash unit should be present to flush eyes in the event of contamination.							
	Respiratory	Dust respirator, correctly worn, must be used in area with good general ventilation.							
8.4	Environmental Exposure Controls	All ventilation systems should be filtered before discharge to atmosphere.							
8.5	Exposure Limits	None assigned.							
		TLV TWA: 10mg/m3 total dust							
		ES TWA: 10mg/m3 inspirable dust This product contains no position amount of respirable.							
		ES TWA: This product contains no negligible amount of respirable dust.							
8.6	Flammability	Nonflammable							
8.7	Environment	Not specified							





8.8	Other Precautions	None specified				
	Section 9: Physical and chemical Properties					
9.1	Form	Fine grey sand/cement based powder. No odour.				
9.2	Specific Gravity	1.5 Loose				
9.3	Flammability Limited	N/A				
9.4	Form	N/A				
9.5	Boiling Point	N/A				
9.6	Melting Point	N/A				
9.7	Flashpoint	Not Flammable				
9.8	Solubility	Partly Miscible				
9.9	Auto-Ignition Temperature	Not applicable				
		Section 10: Stability and Reactivity				
10.1	Chemical Stability	This product contains cement which will undergo a hydration reaction when mixed with water				
10.2	Possibility of hazardous reactions	N/A				
10.3	Incompatible Materials	N/A				
10.4	Conditions to Avoid	Extreme temperature, Product is stable under normal temperatures and conditions				
10.5	10.5 Reactivity and Stability Reacts with incompatible materials.					
	Section 11: Toxicological Information					
11.1	Information & Symptoms associated with exposure					
	Acute Toxicity:	N/A				
	Skin corrosion/irritation Dust is irritating and may cause drying of the skin. Mixed material is moderately irritating to the skin. Constant contact with the skin may cause drying of the skin which may lead to dermatitis and may cause in some cases sensitisation.					
	Serious eye damage/irritation:	The dust is highly irritating and abrasive to the eye. Dust is capable of causing pain and conjunctivitis.				
	Ingestion Ingestion of this product may irritate the gastric tract causing nausea and vomiting.					
	Repeated Exposure: Causes damage to organs lungs through prolonged or repeated exposure by inhalation.					









	Inhalation:	Dust is irritating to upper respiratory tract and lungs. Over exposure to respirable dust may cause						
		coughing, wheezing and irritation to the nasal passages. Medium to small rooms should be well ventilated and by means of mechanical fan.						
	Swallowed:	Material is irritating and mildly corrosive if swallowed. Ingestion may result in nausea, abdominal irritation, pain and vomiting.						
	Aspiration Hazard	N/A						
	Section 12: Ecological Information:							
12.1	12.1 Eco toxicity This product is not expected to be hazardous to the environment							
12.2	Degradability	When products hydrates, it will solidify with time making it non degradable.						
12.3	Bio-accumulative potential	No literature available						
12.4	Mobility in Soil	No literature available						
12.5	Other adverse effects	No literature available						
	Section 13: Disposal Consideration:							
13.1	Disposal	Disposal shall be in accordance with local rules and regulations, in a method to minimize the generation of dust from it and its contact with water. PPE are required for disposal.						
		Section 14: Disposal Consideration:						
14.1	14.1 Transport Information Not classified as dangerous goods and is Safe to transport by sea, land or Air when packed in closed containers. According to: Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code) (7th edition) International Maritime Dangerous Goods Code (IMDG Code) International Air Transport Association (IATA) Dangerous Goods Regulations							
		Section 15: Regulatory Information:						
15.1	GHS Classification	Hazardous						
15.2	SUSMP	Not Classified as a poisonous material						
	Section 16: Supplementary information							
16.1	Preparation Date 10/05/2024							
16.2	Review & Updates	This SDS will be reviewed periodically every 2 Years and updated accordingly with any regulations.						
	Section 18: Safe Handling Information							
18.1	Storage & Transport	Multi-ply paper bag with sealed plastic liner or heavy gauge plastic bag or bucket. Check that all containers are clearly labeled and free from leaks.						









18.2	Packaging & Labelling	Packaging and labelling as recommended by Sure Level Pty Ltd.					
18.3	Spills & Disposals	Sweep up spills and dispose of in an approved disposal site. Avoid generating dust.					
18.4	Reactivity Data	N/A					
	Section 19: Fire/explosion Hazard						
19.1	GHS Classification	Extinguishing Media:	Water mist, CO2 , Foam, Dry Powder				
		Upper Explosion Limit: Not Determined					
		Lower Explosion Limit:					
		Dust Explosion Limit:					
		May Decompose Explosively:					
		Hazardous Decomposition Products:	None				
	End Of Safety Data Sheet						

Document Date: February, 2024 (Rev 3.2)

Contact Details

Entity name: SURE LEVEL INTERNATIONAL PTY LTD Location: 12 Northgate Dr, Thomastown VIC 3074

Phone: + 61 3 9464 5753

Email: info@surelevel.com.au website: www.surelevel.com.au